



125

0545-2 28

50

Diary of
W. L. Abbott



Capt. [unclear]
 Lt. [unclear]
 Col. [unclear]
 Dr. [unclear]
 Dr. [unclear]
 Capt. [unclear]
 Lt. [unclear]
 Lt. [unclear]

O. J. Robin Coll. Customs
 Jérémie
 F. Lemple U.S. Cons. Sgt. Samana
 Capt (Dr.) Drifus P.M. Sanchez U.S.M.
 Maj. Hoyt Marines
 Lieut. Carruthers
 Capt Arnold Guardia Samana
 Lieut. Palmer
 Butler lived on Cayman
 R.R. man at La Vega
 May. Seabury Samana
 Lieut. [unclear] (Guardia)
 Capt. Hickie P. au P. Feb. 1920
 gave him permits

3 cases Nat. Hist.
 specimens shipped
 S.S. Algouquin
 Sep. 13th 1916. from
 Samana S.D.

I. Bird skins small ~~tern~~
 butterflies
 2. Bird skins larger box
 butterflies. etc.
 3. Alcohols
 pottery or stone implements
 + Caribones

2 cases to be shipped per
 S.S. Algouquin. Sep. 14 - 1919
 via N.Y.

G. A. Payne - Englishman
was staying at the plantation
at Chang. 1920 - May.

Worral Asst. collector
Customs Port au Prince. Feb.
1920

Lieut. Mills house at
Pétionville. May. 1920

Belgian V. Gend.
staying at Kenscott. May. 1920

Cery's Birds S. D.

1 *Turdus aliciae* - 6.60
Above dull olive - sides head
ash gray - Underparts white -
Breast + throat brown arrow
shaped markings -

2 *Ammodramus ardeaceus* - 10.
Gen. plumage plumbeous, a
patch of black extending from
below inner part of eye to base
of up. mandible
Throat white streaked w black.
Bill + feet ver. orange.

3 *Ammodramus dominicensis* 8.30
ab. gray brown, underparts white.
Close to *M. orphoides*.

4. *M. varia*

5. *Parula americana*

6. *Dendroica tigrina*

7. *D. coronata*

8. *D. dominica* 5.10

9. *D. maculosa* 4.50

10. *D. coronata*

11. *D. discolor*

12. *D. palmarum*

13. *D. pinus*

14. *S. auricapillus*

15. *S. notata* 6

dull olive brown, white superciliary line - white beneath, breast & sides dark brown, legs white

16. *G. Myia torquata*

17. *Ligea palustris* 5.50

crimson, rufous, copper part of back alate plumbeous. Rest of back & upper surface of wings & tail yellow green. Throat, breast & sides gray plumbeous. Under

Surf. Tail dull grey.
Taken at Almacén - Yuma.

18 - *S. nivalis*

19. *Certhia vaniamore* 4.40
♂ up. surface including head, back,
wings & tail dull black.
Superior white stripe.

Throat dark slate. Underparts bright
yellow.

20 *Progne dominicensis* 7.
upper surf. steel blue
underparts white.

Samana -

21. *Hirundo olivacea* 5-

above bright bluish green, no
golden reflex. in some light.
up. wing & tail tinged w.
pale blue. Underparts white.
H. sucheyana from Samana

differs in having up. parts
brilliant golden green, & lacks
blue on head,
La Vega.

22. *Petrochelidon fulva*. 4.70

Throat & sides of breast pale
rufous brown. Belly rufous.
Irrid white. Top of head bluish
black, also back.
Forehead & rump dark rufous brown.

23. *Vireo calidus*. 5.80.

24. *Dulus dominicus* 6.20

ab. dark olive brown, throat white.
Hood, streaked below. Rump
green. Prim. & Sec. dark brown
edged w. green.
Tail dark brown edged w. green.
Iris orange.

(Copy)

25. *Myiodesetes montanus*
upper part of 2 cent. 7 7"

feathers slaty gray.

Prim. & Sec. brownish black,
showing white membrane of inner
webs. Throat, crissum, belly
reddish brown.

Fert. Jacques - Haiti.

7.

outer of, further white w. black & large

26 *Spindalis mitchellii* - 6.40.

(Jamaica)

Head black, a supraciliary stripe
from forehead to nape white.

a black stripe from eye to nape -
chin white, throat yellowish. Middle
most throat black.

back olive, wings chestnut.

a broad yellow collar on nape.

abdomen & crissum white.

Le. Corp. & Pectoral Plate.

27. *Phaenoptilus palmarum*

6.70
Top of head & back black - Spots of
white on side of head. Back
mump, I., crown, bright yellowish
green - Side is slaty - Throat
white.

28. *P. dominicensis* (Cory)

Vacated.

6.80

Top of head & back black - a
spot of white above eye
Chin white. Head neck & under
parts gray plumbeous. Back
wings yellow green.

29. *Calyptophilus fragilis* (Cory)

7.30
Top of head brown, shading into ashy.
Upper parts brownish olive -
Throat white, breast white.

plants brownish olive -
Palm, & Coc. olive brown.
a patch of bright yellow under
base of wing

Almeria - Yuma River -

30. *Euphonia missica* 4.40

Crown light blue. Forehead, eye
deep & rump brown orange.
Throat, cheeks, breast & T. bluish
black - Purplish suffrag. very
prominent on back -
Frequent high trees -

31. *Phainopepla nitens* 4.00

Gen. plumage dull olive.
Rump & throat black, wings & T.
olive.

Terting name
Tékok (Ira cock)

32. *P. olivacea*

4.

Ab. dull olive. a superciliary
stripe, a patch on chin, & upper
throat orange yellow.
underparts olivaceous gray
breast black

33. *Lophinotus dominicensis*
Waiti

4.10

Head & throat black. Back & wings
dull olive - up. 5. crown yellow
line - 7. v. center feathers, on
ter web of 1st & tips of all
blackish brown. Rest of 7.
bright yellow. Beneath yellow.

34 ~~*Lophinotus*~~

Lophigilla violacea 5.80

Entire plumage black. Throat, eye
ring & crescent over eye pale
reddish brown.

35- *Icterus dominicensis*.
Gen. plumage black. upper
wing coverts, lower $\frac{1}{2}$ back, flank
crissum bright yellow. 7.10

36 *Quiscalus nigra* 10.20-

37 *Corvus leucognathus*
18

38- *C. solitarius* 15-

39 *Pitangus gabb* 7.50

Top of head & cheeks dark brown,
feathers concealing patch orange
yellow. Back brown, becoming
paler towards wings. Wings & I.
brown. Entire under surface white.

40 *Tyrannus dominicensis*
ab. gray ash, darkest on head 8.50.
Dull black patch behind eye.
Underparts whitish, ash on sides of
breast. Wings brown. Underwing co-
verts pale yellow. Tail brown.

41. *Myiarchus dominicensis* 6.50
Crown dark olive brown, becoming
lighter on back. Throat & breast ash.
Belly crissum & under tail coverts
yellow. 2 dull white wing bands.
Two central T. feathers dark brown,
all rest having more than half of
inner web opaque to tip.

42. *Contopus hispaniolensis*
gen. plumage gray olive. 5.50
Feathers of crown edged w. olive.
Throat ash, becoming olive on sides of
breast, & yellow brown on abdomen
& crissum. T. brown.

43. *Empidonax naumii* 4.30
ab. green olive darker on crown
brighter on rump. I. dark brown.
Throat gray white, breast, abdomen &
under I. coverts pale whitish fulvous.

44. *Anthus carolinensis* 11.
♂ Lateral filaments & bristles
on mouth. Gen. color pale
rufous, mottled w. reddish brown.
crown streaked w. black
Terminal $\frac{2}{3}$ I feathers except 4
central ones rufous white
♀ Lacking white on I.
(Polo Plaza)

45. *Chordeiles minor* 8.25

46. *Cypselus phoenicurus* 2.75
Gen. plumage dull green black.
Throat, rump, abdomen & narrow line
in middle of belly white.

47 *Oreopelia chrysea* 284.

(*Geotrygon martinica*)

Pileum & nape walnut brown, overlaid by metallic green or purple. Hind-neck coppery bronze. Back, scapulars, & lesser wing coverts reddish brown. A broad white stripe passing beneath eye - Chin & throat white passing into pale vinaceous drab on lower neck, chest & breast. Abdomen buffy white.

48 *Oreopelia montana* 250.

♂ Upper parts Chestnut, wings lighter.

A broad stripe of pink cinnamon malar region, beneath bare orbital space, & auric. region. Beneath this a broad stripe of rufous chestnut. Chin & throat pink cinnamon. Fore neck & chest vinaceous fawn, fading into warm buff on under parts.

♀ Upper parts light olive brown or deep drab & dark brown olive - paler on head.

Throat & chest dull & deep cinnamon.

49 *Chaempelia passerina aff. lavida* 160-175

50 *Melospelia asiatica asiatica* 260.

white winged dove.

Forehead fawn color, darker on crown & occiput.

Back, occiput, & wing coverts deep buffy

brown. Distal wing coverts mostly white, forming elongated patch from bend of wing to extremity of greater coverts.

Sides of head & neck, chest, & breast wood brown, anal region white.

51 *Zenaidura macroura macroura* 240-300.

Tail not more than $\frac{2}{3}$ length of wing.

W. 156 J. 88

52

Zenaidura macroura macroura

287 J. 123 W. 135-

53 *Coccyzus americanus americanus*
yellow-billed cuckoo 290

~~Underparts much paler than color of head.~~

54 *Coccyzus minor maynardi*
Underparts much paler, only buffy
posteriorly.

55 *Coccyzus minor hesioetes* 291.
Underparts deeply colored. buffy heavy band.

56
Heterosus rufigularis. 420.
Above, sides of head much, & sides of
chest pale olive gray. Prim. deep chest-
nut or bay. Chin, throat, chest, breast
& upper abdomen uniform chestnut or
bay. Abdomen, flanks, & thighs light
ochraceous tawny, fading into pale
buff on under tail coverts.
T. mostly black. tipped white.

Bill slender, deeper, thicker, & more
decurved.

57 *Sauvotia dominicensis* 390.

Bill longer, more slender & straighter.
Above plain soft smoke gray.

Ears, neck, fore neck, chest, & upper
breast pale smoke gray.

Chin, throat & under region deep buff.
Lower breast, abdomen, flanks, thighs,
plain ochraceous buff.

58 *Crotophaga ani* 328.

59 *Aratinga chloroptera chloroptera*
300

60 *Amazona ventralis* 290

(Swifts)
61. *Nephrocetes niger* 6

Entire plumage dark brown, slight
greenish reflections when held to light.
Irridescent slightly, washed w. white.

62 *Melospiza miniata* 2.70

63 *Sporadurus elegans* 4

64 *Tamnotrogon roseigaster* 11

65 *Ceryle alcyon*

66 *Todus subulatus* 4.35
width bill at middle .20

67 *T. angustirostris* 4
width bill at middle .12

68 *Picumnus lawrencei* 5.10

69 *Centurus striatus* 9.

70 *Strip glaucops* 13.50

Gen. plumage dark brown, shading
into orange above on sides of neck
Face deep gray, anteriorly spotted
black. Circles of feathers around

face deep chestnut.

Tarsus not feathered to feet.

71. *Spectylo Curculioria* ♂.

72. *Accipiter fasciatus* 11.50
paler than *A. fuscus*.
W. 7 T. 5.50

73. *Rupornis ridgwayi* ♂ - 13.75

♀ 14.50
♂ Ab. slaty brown. Shaft of feathers
of head upper back dark brown.
Underparts slaty, faintly banded w.
rufous on belly & abdomen. Chin
dull white. Shoulders & thighs rufous.
& faintly pencilled w. indistinct pale
lines. Wings & T. dark brown, banded
w. dull white. W. 9.15 T. 6.

♀ Top of head & more brownish cast,
becoming darker on back. Feathers
of back & tertaries edged rufous.

Underparts dark above. Feathers
narrowly banded w. white. Thighs
showing rufous much brighter.
Feathers banded w. very fine lines.
Crissum white - Underparts of breast
slaty shading into dull white on
throat.

W. 10 J. 6.45²

74 *Falco columbarius* 11.

W. 7.50 J. 5.

75. *F. sparverius isabellinus*.

10 W. 7 J. 5²

76 *Pandion haliaetus*

77. *Columba leucocephala*.

12.50
ab. gray blue Crown pure white.
bordered at nape by band of dark purple.
& bluish on each side of neck, a
cape of metallic green.

Quills dark brown, lighter on
secondaries. Underparts gray blue.
Orissan plumbeous. Tail dark brown.

78. *Columba macroura*. 14.50

Head, neck, & underparts W. 8.50
& some wing coverts dull purple.
rest of plumage slaty.
Edges of outer webs of some wing
coverts white, distinctly mottling
wing.

79. *Columba ceylonensis* 13.50

Gen. & plumage slaty. W. 7.50
Top of head, throat, & breast pale purple.
A broad cap of beautifully rounded
feathers from sides of neck over
upper back showing bright scar-
let purple when held to light.

80. *Oryzopsis virgatus* 8.00

81. *Oedimenus dominicensis*
Nob. name "Boukera" 14.50

82. *Aegialitis vocifera* 10

83. *Ac. Wilsonius* 7.45

84. *Ac. semipalmatus* 6.75

85. *Himantopus palliatus* 17.40

86. *Himantopus mexicanus*
13.50

87. *Tringa melanocoryx* 7.10

88. *Endocismus albus* 23.50

89. *Ardea herodias* 29

90. *A. candidissima* 22

91. *A. herodias* 23

92. *A. herodias* 16

93. *Aranno pictus* 25

94 *Parra gymnostoma* 9

95 *Galinula galeata* 13

96 *G. rostrata* 11.

97. *Fulica americana* 14.75

98 *Phoenicopterus ruber*.

99. *Bendiregna colorata* 21.

Head & black band on wing W. 11.25

containing in recent shape & size.

Feathers brown, reddish brown, shading
into dull white on breast, & mottled
brown & white on sides, head & neck.

Breast & upper part brown, the
feathers broadly edged w. brown.

Rump & tail black, underparts brownish
white heavily spotted & banded upon
sides. Spots small & faint on
abdomen.

100 *Dafila bahamensis* 19.
Gen. plumage, tawny W. 8.
mottled & streaked w. brown W.
Vandred w. lustrous green Black & tawny
Top of head & back brown finely
mottled w. dark brown. Rest of
head & neck white. A triangular
dark patch on each side of upper
mandible base red. T. tawny, be-
coming pale at tip.

101. *Querquedula discors*.

102 *Sula cyanops*

103 *S. leucogaster*

104 *Pelecanus fuscus*

105. *Tachypetes aguilus*

106 *Phaethon flaviventris*.

107 Wood Duck.

62. A. *Lamprolaima dominicus*.

Entire upper parts yellow green. ^{4.90}
Throat bright golden green. Breast &
belly purple black. Flanks green
showing spot of white on the 2.
feather. Violet purple median line
then bronze green.

Sporadus ~~ricordi~~ elegans

(Forked tail
Ricordia swainsoni)

Samana name for Solenodon?
(hooron) juron (huoron)

Santa Rosa (Cortez) mounted
(alt. 14-15 inches long) in possession
of a druggist (St. Delgado)
at Puerto Plata.
said to be found in mountains & called
locally ~~the~~ Juan. or Don Juan.

Go to San Lorenzo, Samaná B.
Gabb said in caves here -

Cape Macao, C. Engand
Gives with place & S. Lona ?

Yellowish & slightly iridescent
Samaná & Port de Paix
Patagionas Squamosa ^{scaly necked} Pigeon.

L. 366 w. 208 J. 137

H. & upper neck all around & chest plain
dark purple drab & vinaceous slate; nape
rich dark purple brown, forming a crescentic
or shield shaped patch. Hind neck metallic
dull purplish changing to bluish green &
violet, the feathers sharply margined
w. rich dark purple brown, producing
squamate effect. Rest plumage pale
slate, darker on primaries & tail, pa-
ler below. This shading gradually into the
purple drab of breast.

B. like red, white or yellowish at tip.
His inner ring scarlet & center of yellow.
Bare orbits space dull red.

Bot nets Two big thermal guns
32 amp. barrel Could shoot
32 shot cartridges.

108 Avio

109 Brail

110 Lope

~~Poncho~~ - *Streptopelia victoria*
Ring close - throat brown / throat
272 - W. 161 - J 112

Pileum & nape vinaceous buff.
a cross upper hind neck narrow
band of black - hind neck, back, scap
ularg wing coverts plain ochraceous
to light cinnamon
Prism. & prism. coverts drab.
buffy white on chin.

111. *Dendroica aestiva*

20 shot Port de l'Esne

June 27 - 17

Quasnamint Turn where
Jura found in mts.
br. Organize & service
mt " "
D. close to Dajalon

Is. Y. at Tortuga Jun 29 - 1880
April 1 - 4 May 1 -

Antrosticte ardens

Geothlypis capensis

Tyrannus dominicensis

B. maculosa

B. coronata

Perisoreus canadensis

Dendrocygna

E. cristata

Orthocentrus

Pterodroma fulva seen

Vireo olivaceus

" - 2 seen - *Protonotaria*

Loxia virens [Tortuga]

Icterus dominicensis

Quiscalus nigra

Tyrannus dominicensis

Myiarchus cinerascens

Atlapetes cristatus

Colaptes auratus

Sayornis nigricans

C. topheus

Phaethon flaviventris

Additional Hayti birds from
Richmond List.

1. *Aestrolata hesitata* (Linn.)

2. *Laenia chrysica*

3. *Ammodramus saundersi*
intercedens

4. *Bulus nicholsoni*

5. *Myiarchus cinerascens* (Linn.)
(first and 2nd is found).

6. *Lophophanes inornatus* ??

Birds new birds

Oropelalia leucometopis

♂ Broad white frontal band, reaching to above eyes. crown, occiput, nape, & sides of head greenish slate.

Head well defined from mulberry purple of back & occiput, wh. extends broadly to sides of breast. & in some specimens only leaves a narrow greenish slate pectoral strip.

Rump & upper tail coverts from acetabulum to dull bluish violet. Tail feathers uniform dark neutral gray.

W. externally mouse gray. Inner webs of primaries & second. brownish. Under W. coverts cinnamon.

Throat slaty. sides slaty. Center of abdomen grayish.

♂ W. 146 - 156 T. 88 - 102

♀ W. 144 - 150 T. 85 - 91

& Leo Caribbeo

Mt. Tiro, Tiboro, Prov. Azua

Constanza (young) & Honda (pair)

Microsiphonotus crusteri.

Nasal tubes

Upper parts brownish gray.

Crown finely vermiculated w. white & brownish. Light buff loreal streak.

Back & up. J. coverts ~~are~~ brownish gray vermiculated w. buff.

Throat & preclavial band white.

♀ W. 119 J. 94. Culmen 8.5

Tarsus 23.

Tubano. Prov. Azua.

Microdigea montana

Similar to *M. palustris*, but supra-ocular stripe, outer webs of 2^d & 5th primaries? & ends of 3 or 4 outer J. feathers white.

J. gray, underparts whiter. B. streaks

♂ W. 67-69 J. 68-70.

Mt. Tina & Mt. Ruella.

El Rio - W. L. A.

Richmond 2 new species.

Nyctibius griseus abbotti. 448.

Vireo crassirostris tortugae 131.

Peters new swift.

Strepto-zonaris melanotus
Proc. New Eng. Zool. Club.

Very large swift. W. 180-225.

Color plain blackish or sooty w. white collar.

Bartsh's 2 new sp.

Porzana flaviventris hendersoni

W. 65 J. 20 Cul. 15 - Is. 22.

From Caiman.

Dendroica ptechiei albicollis
(aestiva class.)

W. 62 J. 50.

also got *Dendroica pennsylvanica*
(chestnut sides)

greater & lesser yellow legs

clapper rail *Rallus longirostris* subsp.?

west. sandpiper

Cranius pusillus

Bartch Cent.!

Least Sandpiper *Eruncetes*
minutula ~~minutula~~ -

Red billed grebe.

Podilymbus podiceps antillarum

Muske duck said to be found
like mudd, stiff tailed duck.

Large "Endornis" (Boa) of
Mexico - Jan 29 - 18

Total \$ 2170 of wh.

Tail was 200

Cayemite Id.

Jan. 3 - 15th 1918.

Birds observed in addition to those
skipped & skinned.

Large blue heron

White egret

Melospiza catherinae

Lanius excubitorides

Kingfisher

Frigate bird

Wedge-tailed shearwater

Gray Kingbird

Antillean Killdeer plumed.

Phaethon rubricauda

Left Terowie Feb. 14th

Gonave Id.

Feb. 18th to Feb. 28th 1918

In addition to those sent
several others noted

1. *Buteo tropicalis*? several seen,
one shot at -

2. Frigate bird - a few seen.

Dendroica tigrina common espe-
cially on the hills.

Parrots - not numerous -

Lake Assuci
Mar.

Mar. 13th 1918

a large hawk seen, not shot.
probably Fish hawk

Left at Gendarmerie
at St. Marc - Hayti.
April 25th 1918

a loaded box containing
about 100 # Cartridges
10 shot 12 bore
+ 150 # 11 shot
half charges

+ some botanical drying
paper.

any one from Smithsonian
can have the box

Catolinita Id.

Sep - 10 - 12th - 19

Saw Fish Hawk 10th

" Many Barn Swallows flying
Southwards.

Kingfishers 11th

Saw a Wood Thrush seen about
into Saona Id. Sep. 11th

Black bird sp.?? seen on Saona
Feb. 13 & 14. Abt. 7-8 inches long
in dense forest.

S. Ullyses Esparrilhat

Sancti Spiritus - S.D.

Knows about the Vulture
(Phagocroton).

Fish hawk (Pondion) seen at
Sanchez Feb. 9th - 19. good view of

Lieut. Nickerson (U.S.N.) informed
me that he had shot green winged
teal & wood duck near San Domingo
city & also what appears to have
been a Muscovy duck.

Dulus now nest building at Sanchez.
Feb. 11th - 19.

Feb. 13th 19. Sanchez.

A. coerulescens common.

Feb. 18. *Sciaurus auriceps* common

" 20. *Porula americana* seen.

Mar 6. Laguna. *Maniot. varia* &
yellow billed cuckoo fairly common.

Pair fish hawks seen daily for
several days off mouth of
Yuma R. abt. Feb. 15th & 18th

Nesting of *Amazona Ventralis*
Laguna, near Samaná. S.D.

Mar. 5th 1919.

Nest was in a hollow "Vervain" tree
The tree half dead stood in a clearing
100 yds fr. house & some fr. edge of woods.
The tree was hollow throughout, but the
lower 1/2 of hollow was filled with dirt
& debris. The entrance hole was abt.
22 feet fr. ground, but the ~~bottom~~ nesting
on the dirt at bottom was abt. 15-
ft. from ground. There were 2 yg. birds
~~entirely~~ crested except for pin feathers.
apparently 3 weeks old.
The hollow in tree was abt. 9" in diam.

Egg of *Tyto glaucops*. May 28th 19.
brod. by John Keay in hollow palm
tree. 20' fr. ground.

Progne dominicensis &
Petrochelidon fulva (most numerous)
were nesting or building in the
rocky islets on S. side of San Juan
Bay Mar 21st. - These about did
not have testicles ^{very} much enlarged, &
no eggs could be found in the
few nests accessible. - Probably
but just now as yet laid eggs.

Anas dominicensis still nest
building at Cayo Hondo, Mar. 20th.

Pelicans not yet ~~to~~ nesting.

Columba v. n. n. apparently
nesting in mangroves - San Juan Bay
Cross not yet nesting.

Columba ~~capensis~~ apparently
nesting at Laguna.

Orisornotura dominicensis? a few
small ducks possibly this species
were seen at Laguna de Diez.
3 hrs. from Laguna. March. 12th
They kept in middle of lake, out of
range of water too deep & wide.

Constanza.

Apr. 11. A boy told me a pair
of young Sparrows, *Spizella*,
fully plumed, nearly ready to
fly - 102 and he found them in
an old woodpecker hole,
12 ft. from ground in a large tree.

Apr. 7th a community of *Sigae*
(*Anas*) abt. 6 pairs, or
nesting in the top of a large
live pine abt. 80-90 ft. from
ground on outskirts of
Village (Constanza) - Nest
is abt. twice as high as a house.

Pine Warbler 1919.

a ♀ shot at El Rio on
May 13 had eggs almost ready
for laying (next day).

shot in pine forest on Road to
Opatabacon.

Pair *Corvus corax* shot at
Custanza Apr 7th. Had completed nest
in pine tree 35 ft. from ground. No
eggs.

Other crows seen during next few days
were still nest building.

Bulwer's Dove, seen flying with sticks
for nest at Sanditz. June 4th 19.

Corvus leucognathus
Common at Port Rincon N. Shore
Samarang peninsula. Aug - 1919.
Maybe 100 pairs in that neighborhood
heard - very noisy - easily called up
& not shy.
Some seen at Lajanda 2 miles
Eastward of Rincon.

Dafila acuta
Major of Marines
said he shot a number of these
the present winter 1919-1920.
near Port au Prince

Contents of stomach of
Plegadis garrana
Lake Enriquillo - Oct. 3 - 19.
Contained small bivalves, & other
shells.

Birds observed at Catalina 2d.
Sep. 10 - 12 - 1919.

Pelicans breeding on N. end.
nearly 100 nests. Young still
unable to fly.

Barn Swallows numerous flying
south.

2 or 3 pairs Gray King birds

2 or 3 Kingfishers

Fish hawks several.

Many Larus atricollis

Saona Id. San Dom.

Sep. 12th - 18th 1919

Gray Kingbirds common

small chickadees several seen

Loxia virens ???

several seen, white belly -

black throat

Barn Swallows numerous

Phaethon rubricauda

several seen

Sterna fuscata on shore

several seen

1 Wood ibis seen

Willet

Anas carolinensis

great lesser yellowlegs

Tringa macularia

Larus atricilla

Sterna antillarum

Sterna fuscata

Kingbird

brown booby

frigates

Buteo borealis several seen

Nesting place of *Aratinga*
chloroptera near Fonda Parisien
on shore of Etang Saumetre

May 17th 1920

Two dead fan palm trees were occupied
about 70 feet high. In a grove of fan
palms about 1 1/2 miles west of Fonda
Parisien.

^{holes}
about 20 nests seen in one
tree + 13 in the other - nearly all occu-
pied. The nests were the enlarged
nest holes of *Chrysomitris striata*.
Which species still occupied a hole in
each palm.

^{nest}
I cut down the tree with 13 holes - ^{the ground} ~~the~~ ^{the}
broken in several pieces in falling.
One young dead parrot was in one hole.
Killed by the fall. & the hatched egg still
in same hole. The other nest holes
were empty.


The tree was pretty rotten, & the land at
side a mere shell.


The nest holes all had a mass of pine
chips at bottom.

The birds were nesting vigorously, & were

~~making signs~~ or every time, allowing
approach within 2 or 3 yards.

Dulus dominicensis nesting
at Furcy (circ-1000 m)
May - 1920
making small nests - 1 foot (circ)
in diam. of pine needles in
tall pine tree - instead of the
usual high community nesting
this species.
also at Fonds Vautte (Mission)
a big nest seen in a tall pine.
one tree at Furcy had 4 of these
smaller nests - each apparently
occupied by 2 pairs.





Left at Sanchez - June 6-19.

11 Packages.

1 big box w. 450 cart.

4 Mule boxes (final collecting)

2 long " one cart, old cart

1 " " w. gun in case.

subt. 400 320 each cart.

1 brown bag. w. shoes, blanket.

1 tarp. w. 2 small tents

1 bag. tent poles.

Left at Sanchez Sep-19.

big box with tent & 2 carts.

2 mule boxes

1 brown canvas bag. heavy shoes.

1 long box charts. cart.

1 telescope with woolen clothes
under Popo Hagan's bed -

Left at Sanchez Feb. 24-19

Big bag w. saddle tent etc.

1 brown bag span clothes & bed.

2 long boxes

1 cart. bag

1 long gun bag

1 paper telescope

tents & poles

2 mule boxes

May 9th Shot 2 *Nyctiroba* swifts
Julian's Yellow Throat on Rio Grande
had well developed eggs. One
egg with remarkably hard shell
was associated with shot.
Bird was killed by mis take with
heavy cartridge.

Swifts of 3 species were at
the clearing above house in the
evening's abt. 6 P.M.
also a Copper Swift flying
night jar - *Nyctiparus abbotti*
(Don Juans) heard every eve.

Echinique, a cripple at
Azua who knows about
pottery or Indian remains.

Plagiodontia said by
Huntingdon (engineer), 15
miles between Payaso &
Questo Blanco & old or new
Camino Real.

Priest at Jarabacoa said there
collection of Indian curios.
May - 1919.

Collection of Indian curios at S. Z.
de Mucosid sold abt. Mar. 19 - to
Ayuntamiento of Santiago for \$350.
Said to have contained 2-300 articles,
including small figure of white flint.

"Pirapiric" Tortuga. July, 1917

Length 10 1/2 feet
width 3 1/2
bottom of 7 logs
sides bulwarks
2 logs about
1 foot high
stem either a plank
or 2 logs with
a wooden ratchet or
fork for sculling.
bow either left
open or closed
with plank pivoted
as drawing; or
sometimes one or
2 logs
3 hand wrot trans-
verse strips
bulwarks held in
place by 3 or 4
perp. hand wrot.



These or similar rafts are
sometimes used in Samana Bay.

by logs.
of Thompsonville or Colon. The
the last usually, longer
logs, squared.

Potapone

13 ft. long. 4 wide
no end or bulwarks
2 cross pieces only
made of 70 grain cotton flax
top.

Potapone

bottom painted with brown
& 500 in bottom
of cotton flax.
bottom top squares
sides of 2 longitudinal logs
10 1/2 ft. long. 4 ft. wide
sides 1 ft. high
stern single plank
notched for skilling.
3 transverse stripes hold
bottom together.
3 papp each side

Prep on Tortoise

Besse Iron

10 $\frac{3}{4}$ feet long by 3 $\frac{1}{4}$ wide

7 logs bottom.

side windows 2 logs

ends 2 logs each

provided by sculling notch

on stern logs.

inside of forepart

4" to 6" diam.

3 hard wood strips round

bottom logs -

4 perp - pegs each side.

Kipelen middles between
Hinche & Thomassico.

near Palmar
Ternassigal

Col. Tracy informed by
Dr. Helms

also a big core - guano.

Boat man at Port du Poire

Ti K Kaon.

boat named La Parolose

Large shell heaps at

Port à l'Est.

most corals

principally near head of Saline.

(some of shell remains)

Wanted for Hayti Export.

Indian meal 10 lbs.

Galv. Iron wire 4 or 5 sizes

Saw, hatchet, wire nails.

Traps -

No 4 Shot. 50 cartth.

No. 7 " 100 "

" 10 " 150 "

" 11 " 150 "

Black shot 6 "

400 320 rpt. long. shot cartth.

absorbent cotton

common "

pins. thread.

twine.

soldering iron + soft s.

wedge top tins.

for Hayti.

box for Lamp.

2 mule trunks.

cone gun + cartth.

wire handle for pot.

copper for alcoholics.

4 Bows left at Sanchez
Oct. 27. 16

one Big box with Tent, saddle
+ camp beds

one long box

one mailed box w/ traps

one Mex. box w/ Camp

Left at Sanchez.

Box no 2.

25 # 11 Blue

25 # 4 "

25 # 9 "

50 # 7 "

25 # 10 "

1 tin Indian meal
salt, 2 lbs.

Wine bag, med. & small
coarse paper, alum.

1 lb. CaO_2

old traps

Tent & spec. 2 Camp cot.
saddle salt


2 lb naphthalene

Left in Sanchez.
June 6th 1919.

# 320	400
11 5	100
10	140
7	75-
4	60
back.	20

spare amp. left with spare
12 gun in gun box. in long
box # 11.

Wanted Low nady Junge Ten
Battery # 790



new frying pan - pepper ^{tin} salt
Khaki shirts
tin can mirrors scissors
Kuiro packet
Tooth brushes & Petros.
Indian meal
cart.
wedge top tin -
Saw.
Basket covered w. canvas.
canvas game bag & cork bag.
rifle rings bottles.
diam. of this part.
mus. bottles.

Arthur D. Drake
 P. O. Box 95
 Georgetown
 Mass.

Francisco Sanchez
 La Vega. S. D.
 about Rafael Franco

J. Enriquez de la Cruz
 American Cons agent
 Sanchez. R. D. D.

Antonia about }
 50 ft }
 R. D.

about 100
 with water for
 1 day 3 1/2 water from
 outside
 the hole 2 1/2 in inside

order (over duty) 1875

2



as a/very close to the

They cut on large flat
 with car at San Lorenzo
 coming off 12' wide

Area 27-17
 Remains of 12' or 14' high
 base 2140
 base 330
 2 4 spp.

39
 48
 57
 101
 101

Black Papilio w. tail.

*one spec. in Paris - stay in -
row roundish yellow spots near
edge of fore hind wings.
another incomplete row inside
other row on fore wing.
small linear yellow spots on
edge of secondary.*



alt. 1/2 inch

one spec. in Paris - stay in -

Black Papilio w. tail.
one spec. in Paris - stay in -
row roundish yellow spots near
edge of fore hind wings.
another incomplete row inside
other row on fore wing.
small linear yellow spots on
edge of secondary.

cephause obt. 4 1/2

also Papilio tenebris
like small Thos.

✓ P. — —

T. cheque B. 1211798 for \$50

Cashed Sanchez. R.D.

by F. Lample Aug. 16.

1211799 R.D.

F. Lample

Sep. 5. 1916.

1211800 F. Lample

Sep. 15th Sanchez

1211801 } Cashed at Sanchez. R.D.
1211802 } Oct. 26. 16. by
R. Bank of Canada.

Left Sanchez Oct 27th 16 for N.Y.

nos. cheques continue D
B. 1211807

Allen, Houlberg's
Cystarol for Cystarol
36.

Ar. Port de Paix Jan 24th 17

202-1181

Flora of Haiti

by Dr. Descouit

Paris 1806-1810 circ.

(Haiti)

Small palm tree

Jacouts (Jakoot)

Palm leaf saddle bags

MahKoot ^

